

Sep 13th, 2010 0000Z courtesy www.satmos.meteo.fr

Rémy Roca (LMD) and the French MT science team





The Megha-Tropiques mission Outline of the talk



- Mission & Objectives
 - Payload
 - Orbit
- Activities on ERB in the MT team
 - Organisation
 - L2 and up
 - Side activities on GEO
- Cal/val plan
- International science team
- Follow on to MT!

The Megha-Tropiques mission Overview



Indo-french mission realized by

The Indian Space Research Organisation and the

Centre National d'Etudes Spatiales

Dedicated to the

Water and energy cycle in the Tropics

Low inclination on the equator (20°); 865 km height

High repetetivity of the measurements

Launch foreseen in spring 2010 ... 2011

Expected duration: instruments 3 yr Plateform 5 yr fuel/operation

The Megha-Tropiques mission Scientific objectives



Atmospheric energy budget in the intertropical zone and at system scale (radiation, latent heat, ...)

Life cycle of Mesoscale Convective Complexes in the Tropics (over Oceans and Continents)

Monitoring and assimilation for Cyclones, Monsoons, Mesoscale Convective Systems forecasting. NRT capability.

Contribution to climate monitoring:

Radiative budget (complementary to CERES)

Precipitation (enhanced sampling in the tropics)


Water vapour (enhanced sampling in the tropics),

The Megha-Tropiques mission Payloads (1/2)



•ScaRaB: broad band instrument for inferring longwave and shortwage outgoing fluxes at the top of the atmosphere

- ScaRaB-3 on MT
- cross track scanning
- •40 km resolution at nadir



Channel	Description	Spectral Interval	Filter
1	VIS (visible)	0.55 – 0.65 μm	Interferential
2	SW (or solar)	0.2 – 4 μm	Silice filter
3	T (total)	0.2 – 100 μm	No filter
4	IR (Infrared)	10.5 – 12.5 μm	Interferential

I. Karouche, CNES

The Megha-Tropiques mission Payloads (2/2)


SAPHIR: microwave sounder for water vapour sounding: 6 channels in the WV absoption band at 183.31 GHz. (cross track, 10 km)

MADRAS: microwave imager for precipitation: channels at 18, 23, 37, 89 and 157 GHz, H and V polarisations. (conical swath, <10 km to 40 km)

GPS RO: water vapor profile ...

GEOSTATIONARY DATA

- Cloud mask for the MW algo
- Quicklook for interpreting MT data
- Basic inputs for MCS tracking algorithm
- Basic inputs for Level 4 rainfall (radiation) products



Source: N. Karouche, CNES



The Megha-Tropiques mission Orbit (1/3)



Megha-Tropiques Orbite par rapport à la Terre

Phasage = [14; -1; 7] 97

>>> Durée représentée: 7.00 jours


Altitude = 865.5 km

a = 7243.678 km

Inclinaison = 20.00 °

Période = 101.93 min * Révol./j.=14.13

Décalage à l'équateur = 2892.0 km (26.0 °)



Projection: Orthographique

Propriété : (sans)

⊕ T.:Azimutal - Grille : 10°

CP: 20.0 ° N; 45.0 °E/CZ: 30.0 ° N; 60.0 ° E

Aspect : Oblique

{4.2}[-90.0/+70.0/+45.0][+8] EGM96

Noeud asc. : -180.00 ° [00:00 TSM]


Ιξιων **MC ★ LMD**

Ατλας

The Megha-Tropiques mission Orbit (2/3)








Life cycle of Mesoscale Convective Systems Compositing with MT






Who's doing what in France



MT is a research space mission carried by both the CNES and the CNRS Two teams are sharing the responsibilities:

A PROJECT TEAM led by
Dr Nadia Karouche,
Project Manager from CNES
In the team:
Engineers from CNES,
Engineers from Astrium (Madras),
and from the research labs (CNRS)


A MISSION TEAM led by
-Dr Rémy Roca, PI from CNRS
(formerly Dr Michel Desbois)
In the team:
Scientists from research Lab
(mainly CNRS), and programmatic
from CNES



Interactions between the teams in a"mission group" + dedicated meetings Project team to change after calibration to Operation Team Scientific Ground segment (~DTM+ASCD) called ICARE in Lille, France







Who's doing what Science Side in France



SCARAB

Rémy Roca	LMD	Science	
Olivier Chomette	LMD	Level 2 & 3	
Patrick Raberanto	LMD	Instrument, calibration,Level 3	
Michel Capderou	LMD	Celestal mechanics	
Nicolas Gif	LMD	Programming	
Sophie Cloché	IPSL	Data management & QC	

Sadiation

Rodrigo Guzman	LMD	PhD Clear sky OLR	
Bijoy Thampi	LMD	Post doc (soon) Cloud radiative forcing	

ERB activities in the MT Team

Products developpements

Chomette, Raberanto, et al



L2 Instantaneous TOA fluxes (SW+LW)

Accuracy of 10 Wm⁻² for instantaneous fluxes

CERES ADMs are considered

as reference

Scarab Artificial Neural Network algorithm (SANN)

Table 2, Loeb, JAM, 2003	Estimated regional (1°) instantaneous SW TOA flux error (W.m ⁻²) — All sky	
ANN	10.8	
ERBE-like	24.4	

L3 Clear sky fluxes (SW+LW)

In the process of defining the most suited space-time averaging Finalizing the error model to help in assessing the above


See Olivier Chomette presentation



ERB activities in the MT Team

GEO cloud activities SAF NWC cloud classification is streaming Geneviève Sèze et al.







Earth radiation budget measurement summary Across scales:

from the tropical belt down to the MCS scale (See Talk R Roca)

Combination of the payloads:

- WV sounding (SAPHIR) and OLR (Scarab) to study the greenhouse effect (See Talk from R. Guzman)
- Latent heat (MADRAS) and Cloud Radiative Forcing (Scarab) to study the relative role of these two components of the atmospheric heating
- Cloud information (GEO) and WV in the low levels (MADRAS) and TOA RB (ScaRaB) to constrain surface radiation budget estimates
- Use of high frequencies in the microwave (85, 157, 183
 Ghz) for ice caracterisation (MADRAS, SAPHIR and SCARAB)

•

The CAL/VAL Plan




- Radiometric quality check before & after launch
 - Spectral characterization \ ~ 2% SW; ~ 1% LW
 - Gain determination
 - Independence of TOA fluxes on the viewing geometry
- Vicarious calibration (indirect methods)
 - With terrestrial targets with known SW reflectance such as desert (precision ~ 2%)
 - or thick cloud with the DCC method to calibrate LW & SW radiances (precision ~ 1 %)
- Comparison with other ERB instruments
 - CERES & GERB real time (monitoring)
 - Comparison with historical data

Validation using CERES one example



Example with CERES (2 days), ±5 mn, no viewing angular conditions



Megha-Tropiques International Science Team



No cost call spring 2010 20 teams from 11 countries were selected

Brett Candy	Met Office	UK	Water vapor
Steven Sherwood	Univ of New South Wales	Australie	rain
Mathias Milz	Lulea Univ of Technology	Suède	Water vapor
Ziad Haddad	NASA-JPL	USA	Water vapor
Arthur Hou	NASA Goddard	USA	rain
Kenji Nakamura	Nagoya Univ	Japon	rain
Byung-Ju Sohn	Seoul National Univ	Corée du Sud	Water vapor and radiation
David Doelling	NASA Langley	USA	Radiation
Abdou Ali	Agrhymet	Niger	Rain
Edward Kim	NASA Goddard	USA	Microwave
Lakshmi Kumar	SRM University City Campus	Inde	Rain
Hareef Baba Shaeb	ISRO-DOS, Nagpur	Inde	Radiation
Flávio Ponzoni	NISR – INPE	Brésil	Radiation
Mark Ringer	Met Office, Hadley Center	UK	Rain, radiation, etc
Sante Laviola	ISAC-CNR	Italie	Rain
V. Chandrasekar	Colorado State University	USA	Rain
Carlos Angelis	INPE	Brésil	Rain
Eric A. Smith	CRCES	USA	Rain
Arona Diedhiou	IRD-LTHE	France	Rain


Soon start the animation (newsletter etc..) of the International Science Team A second call is anticipated after the launch

Follow -on!

Elaboration of a new concept instrument



SCARAB+ IR Imager « inside the pixel »



The Megha-Tropiques mission On going



Science and cal/val

- Special Issue with Day 1 algorithm QJRMS
 - Around 15 papers
 - October 2010
- New post doc student (B. Thampi) to start this fall on ScaRab and MCS with us
- Update the cal/val plan document for CNES accounting for possible delay
- Consolidate participation to DYNAMO (Oct 2011)
- ScaraB-4 RDM (end of phase 0 in 27 Sep)

Ground segment

- L3 daily multiplatform decision
- L1 still not finalized from the project
- Finalize implementation QC on geo and other



Thank you for your attention

http://megha-tropiques.ipsl.polytechnique.fr